

**HERCUSLATE**

**Quality Engineered Roofing**

# HERCUSLATE

- Hercuslate is a composite roofing product that is designed to authentically replicate the look of natural slate roofing.
- Predominantly all of the materials (95%) used in Hercuslate are reclaimed materials.
- Hercuslate has developed a superior blend and formulation used to create the company signature roofing product.
- The proprietary formulation and manufacturing process results in a product that has enhanced durability, longevity and performance.
- Hercuslate is not susceptible to mold, mildew, fungus or insect infestation, it is also hail resistant and can withstand severe weather conditions and temperature fluctuations and extremes.



# Durability and Quality



Wind resistance in excess of 180 mph (290 km/h) Wind Uplift Test as per STMD3161-9a



Maintenance Free, Virtually no delaminating, cracking, erosion, or chalking



Standard Class C Fire rating with available Class A Fire rating (ASTME108)



Limited lifetime warranty, GoldLevel-50years Fully transferrable for residential projects



Highest impact rating Level 4 impact resistance (UL 2218)



Made from 95% sustainable materials Composite industrial plastics, elastomers and cellulolistic fibers

# HERCUSLATE




- Hercuslate tiles measures 12" wide x 20" tall, with various edge and top textures to emulate natural slate
- Hercuslate is made with a flat-back design, so when cutting pieces there will be no exposed ribbing.
- Each piece weighs approximately 2 lbs.
- The weight of each Hercuslate is more reflective of real slate than other plastic synthetic slate products on the market.
- Hercuslate is installed at a 9" exposure, and can be installed on roof slopes 2/12 and greater.
- All ridge caps are custom made for each project

## Hercuslate

- Lifetime warranty that is transferable with the first 50 years
- Authentically replicates the look of natural slate
- Will not crack, peel warp or chip
- Maintenance free, no annual repairs required
- Mold, mildew, algae and insect resistant
- Can withstand wind speeds up to 180 MPH (290 km/h)
- Fire resistant – Class A system with a Class A underlayment
- Robust, durable product that is not damaged by walking on it, hail, or falling debris
- Less than 2% moisture absorption, is not damaged by freeze/thaw

## Natural Slate

- Very Expensive to install and to replace
- Cannot be installed on a home that was not built for natural slate, without significant reinforcement
- Prone to cracking and chipping
- High maintenance : requires annual maintenance
- Can be damaged by freeze/thaw conditions
- Subject to mold, mildew and algae
- Can be damaged by hail, falling debris
- You cannot walk on it
- Could become unhooked during high winds
- Falling pieces can damage property and injure persons



# HERCUSLATE

Thank you for your attention! Hercuslate stands at the forefront of roofing innovation.

We invite you to explore how Hercuslate can transform your home with its beautiful, durable, and sustainable roofing options.

For further inquiries, feel free to reach out to us and discover the roofing solution you've been looking for